

WINGAMIN

KAROONDA

WHITE SUFFOLK STUD

Established 1988 – Registered Flock No. 50
 Celebrating 32 years of stud breeding in 2020

24 Annual On-Property Sale Catalogue
Monday, September 14th, 2020 at 1 pm
Inspection from 11 am
122 Quality White Suffolk Rams
**** Consistently Producing “The Goods” ****

Outcross Sires Represented

Purple top 1-5% Blue top 10% Green top 20%

| Tag | Birth WT | Weaning WT | Post Weaning | | | TCP Index | EQ Index | LM yield |
|---------------------------|----------|------------|--------------|------|--------|-----------|----------|----------|
| | | | weight | fat | muscle | | | |
| Warburn 160048 (\$16,000) | 0.4 | 11.2 | 19.2 | -0.4 | 3.2 | 164 | 158 | 4.35 |
| Warburn 160032 (\$21,000) | 0.4 | 10.9 | 17.0 | -0.3 | 2.0 | 145 | 139 | 3.39 |
| Somerset 130153 (A.I.) | 0.5 | 11.6 | 19.0 | -1.1 | 3.0 | 158 | 147 | 4.97 |
| Woolumbool 173980 (A.I.) | 0.4 | 10.7 | 17.4 | 0.5 | 3.4 | 165 | 169 | 2.59 |
| Gemini 170403 | 0.4 | 13.3 | 20.7 | 0.1 | 2.2 | 157 | 152 | 3.54 |

Memo of Sires

Warburn 160048 (\$16,000) Purchased in shares with Prestige Farm Stud, Montana, USA

Outstanding, proven sire currently having semen collected for the United States. Sons sold for \$32,000, \$25,000 & \$13,500 in 2019 and topped many sales for all studs that used him by A.I. You can't go past this ram if you want to pack a punch in your prime lamb enterprise or stud operation (semen available)

Warburn 160032 (\$21,000) record on-property price for New South Wales. Purchased in shares with Fairburn Stud, Vic

Somerset 130153 (A.I.) Lambplan link sire for the 2019 drop

Woolumbool 173980 (A.I.) Trait leader for Eating Quality

Wingamin 161198 Best son of Wingamin 140384. Retained for his excellent length of loin and hindquarter shape. 2nd Lambplan trade class at Hamilton Sheepvention in 2017

Wingamin 181744, 181709 & 181706 Sons of Warburn 160032 used for back up as ram lambs
Wingamin 181886 & Wingamin 181718 Sons of Warburn 160048 used for back up as ram lambs

Enquiries: Clive & Deb Shillabeer - 08 8578 1143 or 0439 700 555

Eli Koch, Elders Karoonda - 0409 698 713

| LOT | TAG | DOB | SIRE | PWWT | PFAT | PEMD | TCP | PURCHASER - PRICE |
|-----|---------|-------|---------|------|------|------|-------|-------------------|
| 1 | 2120 T | 4/1 | War 48 | 16.5 | -0.7 | 1.9 | 147.9 | |
| 2 | 2135 T | 4/1 | War 48 | 17.3 | -0.5 | 2.1 | 147.9 | |
| 3 | 2141 | 5/1 | War 48 | 16.7 | -0.4 | 2.8 | 150.6 | |
| 4 | 2158 T | 2/5 | War 48 | 17.0 | -0.5 | 1.9 | 147.4 | |
| 5 | 2123 T | 4/1 | War 48 | 17.3 | -0.7 | 1.8 | 150.4 | |
| 6 | 2128 | 4/1 | War 48 | 16.7 | -0.9 | 2.2 | 149.6 | |
| 7 | 2152 T | 25/4 | War 32 | 15.8 | -0.4 | 1.8 | 140.3 | |
| 8 | 2238 T | 5/7 | G 403 | 17.2 | -0.3 | 1.5 | 147.0 | |
| 9 | 2143 T | 17/1 | War 48 | 18.2 | -0.6 | 2.2 | 151.6 | |
| 10 | 2172 | 1/6 | G 403 | 17.7 | -0.3 | 1.7 | 147.0 | |
| 11 | 2163 T | 4/5 | G 403 | 17.0 | -0.1 | 1.8 | 142.4 | |
| 12 | 2116 T | 4/1 | War 48 | 15.2 | -0.2 | 3.1 | 150.9 | |
| 13 | 2199 | 2/7 | S 153 | 17.6 | -0.8 | 2.2 | 147.8 | |
| 14 | 2262 | 11/7 | War 48 | 17.8 | -0.6 | 2.3 | 149.9 | |
| 15 | 2147 T | 22/4 | War 32 | 15.9 | -0.3 | 1.4 | 137.8 | |
| 16 | 2179 T | 21/6 | W 1744 | 15.4 | -0.7 | 1.2 | 140.4 | |
| 17 | 2391 T | 29/7 | W 1744 | 17.3 | -0.8 | 0.9 | 140.0 | |
| 18 | 2149 Tr | 23/4 | War 48 | 17.7 | -0.8 | 1.9 | 147.0 | |
| 19 | 2344 Tr | 24/7 | G 403 | 17.9 | -0.2 | 1.5 | 146.2 | |
| 20 | 2241 | 5/7 | S 153 | 16.4 | -1.0 | 2.6 | 150.1 | |
| 21 | 2247 T | 6/7 | S 153 | 17.9 | -0.9 | 1.6 | 145.8 | |
| 22 | 2211 | 4/7 | S 153 | 16.8 | -0.8 | 2.0 | 146.2 | |
| 23 | 2169 T | 9/5 | War 32 | 16.4 | -0.6 | 2.3 | 144.4 | |
| 24 | 2167 | 7/5 | War 32 | 14.9 | -0.2 | 2.2 | 141.9 | |
| 25 | 2406 Tr | 31/7 | War 48 | 16.8 | -0.6 | 1.8 | 148.2 | |
| 26 | 2118 T | 4/1 | War 48 | 16.2 | -0.6 | 1.9 | 146.3 | |
| 27 | 2151 | 23/4 | War 32 | 15.6 | -0.5 | 1.7 | 140.1 | |
| 28 | 2492 | 29/7 | W 1709 | 17.6 | -0.5 | 1.8 | 146.1 | |
| 29 | 2336 T | 24/7 | W 1744 | 16.1 | -0.5 | 1.7 | 142.7 | |
| 30 | 2196 T | 2/7 | G 403 | 17.8 | -0.2 | 1.7 | 147.0 | |
| 31 | 2212 | 4/7 | WB 3980 | 16.3 | -0.3 | 1.8 | 146.7 | |
| 32 | 2209 | 3/7 | WB 3980 | 17.0 | -0.4 | 2.0 | 152.7 | |
| 33 | 2177 | 15/6 | W 1744 | 16.5 | -0.8 | 0.9 | 140.0 | |
| 34 | 2180 | 23/6 | W 1744 | 15.0 | -0.7 | 1.1 | 136.6 | |
| 35 | 2154 T | 26/4 | War 32 | 16.1 | -0.4 | 1.5 | 140.0 | |
| 36 | 2131 T | 4/1 | War 48 | 16.0 | -0.3 | 2.0 | 146.3 | |
| 37 | 2166 | 7/5 | War 48 | 16.1 | -0.7 | 2.4 | 146.4 | |
| 38 | 2329 T | 23/7 | G 403 | 17.4 | -0.5 | 1.1 | 141.2 | |
| 39 | 2381 T | 27/7 | W 1886 | 16.5 | -0.5 | 1.7 | 141.7 | |
| 40 | 2239 T | 5/7 | S 153 | 18.0 | -0.9 | 1.8 | 147.5 | |
| 41 | 2314 T | 23/7 | W 1744 | 16.0 | -0.3 | 1.1 | 138.0 | |
| 42 | 2332 | 23/7 | W 1198 | 13.6 | 0.0 | 2.0 | 135.2 | |
| 43 | 2361 T | 26/7 | W 1198 | 14.2 | -0.5 | 1.8 | 136.5 | |
| 44 | 2408 Tr | 31/7 | War 48 | 15.5 | -0.3 | 2.4 | 149.6 | |
| 45 | 2389 T | 29/7 | W 1198 | 15.8 | -0.9 | 1.0 | 137.3 | |
| 46 | 2258 T | 10/7 | W 1744 | 15.3 | -0.6 | 1.0 | 136.0 | |
| 47 | 2255 T | 7/7 | S 153 | 17.5 | -0.6 | 2.6 | 149.7 | |
| 48 | 2148 Tr | 23/4 | War 48 | 16.5 | -0.4 | 2.3 | 146.3 | |
| 49 | 2297 T | 15/7 | W 1198 | 13.9 | -0.2 | 2.0 | 138.4 | |
| 50 | 2217 T | 4/7 | WB 3980 | 18.1 | -0.1 | 2.7 | 160.0 | |
| 51 | 2532 | 16/10 | War 48 | 19.3 | -0.7 | 2.3 | 156.7 | |
| 52 | 2218 T | 4/7 | S 153 | 16.9 | -1.0 | 2.1 | 146.1 | |

| | | | | | | | | |
|-----|---------|-------|---------|------|------|-----|-------|--|
| 53 | 2425 Tr | 7/8 | W 1706 | 17.5 | -0.2 | 1.8 | 144.6 | |
| 54 | 2366 | 26/7 | War 48 | 16.3 | -0.7 | 2.2 | 148.8 | |
| 55 | 2257 | 7/7 | S 153 | 16.7 | -0.9 | 2.4 | 147.2 | |
| 56 | 2253 | 7/7 | S 153 | 15.4 | -0.5 | 2.7 | 144.7 | |
| 57 | 2184 T | 29/6 | W 1744 | 17.5 | -0.9 | 0.7 | 140.2 | |
| 58 | 2232 T | 5/7 | W 1744 | 17.3 | -0.7 | 1.0 | 141.8 | |
| 59 | 2157 T | 2/5 | War 48 | 16.6 | -0.6 | 1.8 | 146.2 | |
| 60 | 2200 | 3/7 | WB 3980 | 17.3 | -0.5 | 2.3 | 156.0 | |
| 61 | 2294 T | 2/7 | W 1744 | 16.0 | -0.4 | 1.7 | 142.0 | |
| 62 | 2380 T | 27/7 | W 1886 | 15.9 | -0.4 | 2.1 | 143.0 | |
| 63 | 2357 | 25/7 | W 1706 | 15.2 | -0.2 | 2.0 | 140.4 | |
| 64 | 2207 | 3/7 | S 153 | 15.7 | -0.7 | 2.5 | 146.5 | |
| 65 | 2246 T | 6/7 | S 153 | 18.0 | -0.9 | 1.5 | 145.5 | |
| 66 | 2186 T | 30/6 | S 153 | 17.4 | -0.7 | 2.0 | 148.4 | |
| 67 | 2164 | 6/5 | IL 686 | 15.2 | -0.7 | 1.3 | 136.8 | |
| 68 | 2399 T | 31/7 | W 1886 | 15.4 | -0.3 | 2.2 | 143.6 | |
| 69 | 2272 T | 13/7 | W 1744 | 15.9 | -0.8 | 1.4 | 141.2 | |
| 70 | 2290 T | 20/7 | War 48 | 15.2 | -0.3 | 2.4 | 143.4 | |
| 71 | 2387 | 29/7 | W 1198 | 14.6 | -0.4 | 1.8 | 139.0 | |
| 72 | 2491 Tr | 14/8 | W 1709 | 16.7 | -0.5 | 1.8 | 144.1 | |
| 73 | 2335 T | 24/7 | W 1744 | 15.7 | -0.6 | 1.4 | 139.9 | |
| 74 | 2240 T | 5/7 | S 153 | 16.3 | -0.9 | 1.5 | 142.4 | |
| 75 | 2506 T | 17/8 | War 48 | 17.6 | -0.7 | 2.1 | 152.7 | |
| 76 | 2453 T | 9/8 | W 1709 | 15.5 | -0.4 | 1.9 | 141.2 | |
| 77 | 2475 T | 12/8 | War 48 | 15.4 | -0.6 | 1.8 | 143.8 | |
| 78 | 2188 Tr | 1/7 | WB 3980 | 17.2 | -0.1 | 2.8 | 156.9 | |
| 79 | 2289 T | 20/7 | War 48 | 15.1 | -0.5 | 2.3 | 143.2 | |
| 80 | 2494 | 14/8 | War 48 | 16.0 | -0.5 | 1.7 | 144.2 | |
| 81 | 2568 T | 27/10 | War 48 | 19.2 | -1.1 | 1.6 | 153.8 | |
| 82 | 2370 T | 27/7 | War 48 | 15.4 | -0.3 | 2.7 | 146.8 | |
| 83 | 2321 T | 23/7 | W 1198 | 12.9 | -0.1 | 1.9 | 134.5 | |
| 84 | 2429 T | 5/8 | W 1198 | 14.8 | -0.3 | 2.5 | 142.5 | |
| 85 | 2339 T | 24/7 | W 1706 | 15.1 | -0.2 | 2.0 | 141.9 | |
| 86 | 2352 T | 25/7 | W 1198 | 14.2 | -0.1 | 2.0 | 137.3 | |
| 87 | 2529 T | 6/10 | War 48 | 17.0 | -0.6 | 2.2 | 149.3 | |
| 88 | 2300 T | 22/7 | W 1198 | 14.4 | -0.3 | 1.5 | 135.8 | |
| 89 | 2280 T | 17/7 | W 1886 | 15.6 | -0.3 | 2.1 | 142.0 | |
| 90 | 2350 T | 25/7 | W 1886 | 16.2 | -0.2 | 1.9 | 142.8 | |
| 91 | 2443 T | 5/8 | W 1718 | 17.1 | -0.9 | 1.0 | 142.4 | |
| 92 | 2320 T | 23/7 | W 1198 | 14.3 | -0.2 | 2.1 | 139.0 | |
| 93 | 2440 | 4/8 | War 48 | 15.8 | -0.5 | 2.3 | 148.3 | |
| 94 | 2334 T | 23/7 | W 1198 | 14.7 | -0.4 | 1.6 | 137.4 | |
| 95 | 2160 T | 4/5 | War 48 | 16.2 | -0.6 | 1.8 | 146.7 | |
| 96 | 2150 Tr | 23/4 | War 48 | 17.2 | -0.7 | 2.2 | 147.5 | |
| 97 | 2276 T | 16/7 | W 1198 | 14.7 | -0.5 | 1.9 | 138.4 | |
| 98 | 2229 T | 5/7 | WB 3980 | 15.7 | 0.1 | 2.3 | 149.4 | |
| 99 | 2432 T | 5/8 | W 1744 | 15.6 | -0.7 | 1.1 | 137.4 | |
| 100 | 2202 Tr | 3/7 | S 153 | 15.7 | -0.5 | 2.1 | 142.7 | |
| 101 | 2413 T | 1/8 | W 1198 | 14.6 | -0.3 | 2.1 | 140.0 | |
| 102 | 2427 T | 7/8 | W 1744 | 16.1 | -0.6 | 1.6 | 141.6 | |
| 103 | 2369 T | 27/7 | War 48 | 15.3 | -0.4 | 2.4 | 145.7 | |
| 104 | 2298 T | 15/7 | W 1744 | 16.5 | -0.8 | 1.1 | 138.9 | |
| 105 | 2516 T | 22/8 | W 1718 | 16.7 | -0.7 | 1.6 | 144.2 | |

| | | | | | | | |
|-----|--------|-------|--------|------|------|-----|-------|
| 106 | 2328 T | 23/7 | G 403 | 17.3 | -0.3 | 1.6 | 143.0 |
| 107 | 2426 T | 7/8 | W 1744 | 15.3 | -0.4 | 1.9 | 141.1 |
| 108 | 2195 T | 2/7 | G 403 | 16.7 | -0.2 | 1.9 | 145.0 |
| 109 | 2219 | 4/7 | W 1744 | 15.2 | -0.8 | 1.0 | 137.5 |
| 110 | 2463 T | 12/8 | W 1886 | 17.0 | -1.0 | 1.2 | 141.4 |
| 111 | 2477 T | 12/8 | G 403 | 17.9 | -0.1 | 1.7 | 147.0 |
| 112 | 2519 T | 23/8 | G 403 | 16.0 | -0.1 | 2.0 | 143.8 |
| 113 | 2395 | 31/7 | War 48 | 16.3 | -0.5 | 1.9 | 145.2 |
| 114 | 2415 | 1/8 | War 48 | 16.5 | -0.3 | 3.0 | 150.6 |
| 115 | 2479 T | 12/8 | War 48 | 17.6 | -0.4 | 2.7 | 154.4 |
| 116 | 2388 T | 29/7 | W 1198 | 15.0 | -0.4 | 1.7 | 139.2 |
| 117 | 2373 T | 27/7 | W 1198 | 12.8 | 0.1 | 2.1 | 133.6 |
| 118 | 2514 T | 21/8 | W 1709 | 16.3 | -0.3 | 1.9 | 142.8 |
| 119 | 2309 T | 23/7 | W 1198 | 14.6 | -0.1 | 2.0 | 137.8 |
| 120 | 2563 T | 24/10 | War 48 | 16.5 | -0.8 | 3.0 | 154.9 |
| 121 | 2473 T | 12/8 | War 48 | 15.5 | -0.4 | 2.4 | 146.7 |
| 122 | 2419 T | 2/8 | W 1198 | 14.2 | -0.7 | 1.6 | 137.0 |

We look forward to your company on Monday, September 14th, 2020.

Pre-sale inspection can be arranged by appointment.

Enquiries welcome

Clive Shillabeer 0439 700 555

Eli Koch (Elders Karoonda) 0409 698 713

www.wingamin.com.au

Follow us on Facebook for all our latest news and events.

